STOCKER-CREW

THIS WEEK! schell fsm3000h golf front mounted rotary mowing deck







THE ULTIMATE FINISHING MOWER

DECK

- Working width 3 m, split into 1.80m / 2.40 m / 3 m
- Double-wall design in the approach area, radial design
- 5 individually suspended mowing bowls, each 60 cm wide, that adjust perfectly to uneven terrain thanks to a flexible rear and front suspension
- CUTTERS
 - Number: 5, with hardened blades, 200mm long
 - Each cutter is individually hydraulically powered
 - Counter-rotating directions
- Rear ejection with wide dispersion
- Floating extension wings can be moved up/down by approx. 12 cm
- · Automatic start/stop of the outer wings when lowered or raised
- · Pendulum wheels with safety tyres, breakdown-proof
- Height adjustment in 7.5mm steps from 25mm to 100mm without tools using 6 adjusting forks
- · Anti-scalp plates below the cutters act as crash bumper
- 6 supporting rollers in the mower housing and at the front in the middle as anti-scalping rollers
- · Attachment and removal by catch hooks, and quick-action locking device
- Spring suspension in the supporting arms
- Mower is able to be tilted by 90 degrees for cleaning and maintenance purposes

FRONT THREE POINT A-FRAME QUICK COUPLE SYSTEM

• Cat.2 with two floating lift arms, with protection system to pick up Front-Rotary mower

HYDRAULIC DOUBLE POWER-UNIT

- Rear 3pl Hitch, Cat.1 and Cat. 2 mounting
- PTO speed 540 rpm, double pump system, dual circuit with a circulation 65 L / min. at 220 bar, relief valves for both circuits. Hydraulic oil tank with 80 litre capacity, double filter system, oil cooler with electric fan, protection guard and PTO shaft

HOSE-LINE SET

- For mounting on the tool carrier machine.
- Hydraulic hose kit and hydraulic quick couplers for easy fitting, fits most tractor applications.

This advanced cutting system allows the operator to work out front of the machine reducing the stresses on the operator's neck and shoulders. The individual cutting decks (5) allow the deck to glide over undulating ground without the disadvantage of scalping the ground surface. The individual hydraulic deck drives means that there are no belts, this means less down time and less maintenance.

This cutter deck has been a display model for a couple of years and has never been run. It's time to move it on, so I can offer this ultimate cutting system at a greatly reduced price. Please note that this is a new old stock clearance with 12 months warranty to the lucky purchaser.

SCHELL FSM3000HG

Front 3PL "A" frame quick mounting

Twin Pump Power Pack

Hose Kit

RRP

Special Stock Pricing \$

\$37,300.00 \$19,500.00 incl. GST

ONE ONLY AT THIS PRICE - DON'T MISS OUT

Contact Stocker-Crew for further information.







<section-header><section-header><image>

THE COMPANY

Stocker-Crew distributes all manner of machinery for Vegetation and Grass Maintenance, Tool Carrier Tractors, Front PTO & 3 Point Lifters for Agricultural Tractors, Switching cooling fans and other accessories / implements.

Our primary regard is quality; an element essential to the long term success of our competitive position, reputation and customer satisfaction.

CONTACT US

📞 (02) 4954 8900

- sales@stockercrew.com.au
 - PO Box 203, Warners Bay NSW, 2282

SOCIAL MEDIA

Follow us on:

8 Google Plus
f Facebook
f Twitter
F YouTube

WWW.STOCKERCREW.COM.AU

TO UNSUBSCRIBE FROM THIS NEWSLETTER CLICK HERE!

Alternatively, send an email to admin@stockercrew.com.au with "Unsubscribe" as the subject.